

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Figure 1




Figure 1. Lane 1: Molecular weight Marker HyperLadder I, Lane 2: strain KE-01, Lane 3: *Lactobacillus acidophilus* ATCC# 4356, Lane 4: *Lactobacillus amylovorus* ATCC# 33620, Lane 5: *Lactobacillus brevis* ATCC# 14869, Lane 6: *Lactobacillus delbrueckii* subsp. *lactis* ATCC# 12315, Lane 7: *Lactobacillus fermentum* ATCC# 14931, Lane 8: *Lactobacillus helveticus* ATCC# 15009, Lane 9: *Lactobacillus paracasei* subsp. *paracasei* ATCC# 25302, Lane 10: *Lactobacillus plantarum* ATCC# 14917, Lane 11: *Lactobacillus casei* ssp. *rhamnosus* ATCC#7469, Lane 12: *Lactobacillus pentosus* ATCC# 8041, Lane 13: *Lactobacillus casei* ssp. *casei* ATCC# 393, Lane 14: *Lactobacillus reuteri* ATCC#23272.

Figure 2




Figure 3

Attachment of KE01 could be visualized on bovine intestinal epithelia




Figure 4

KE01 colonized and formed biofilm on bovine intestinal epithelial mucosa




Figure 5




Figure 6




Figure 7




Figure 8





Figure 9



10021871-121704